Originally filed 1/5/02

		,		
INFORMATION DISCLOSURE OF TASSION				
	Docket:	015559-250	Serial. No.:	09/909,847
Page 1 of 2 Pages			•	
JAN 3 1 20C5 E	Applica	nt: Alain Izadnegahdar et	al.	
FITATS TRACES	Filed:	7/20/01	Group: 28	372 <sup>9</sup>
3 111/10				

## U.S. PATENT DOCUMENTS

Examiner	Document No.	Date	Name	Class	Sub	
my	4,023,562	05/77	Hynecek et al.	-		
	4,882,933	11/89	Petersen et al.			
	5,231,301	07/93	Peterson et al.		_	•
	5,355,712	10/94	Petersen et al.			
	5,461,922	10/95	Koen		)	
	5,706,565	01/98	Sparks et al.			
	5,902,248	05/99	Millar et al.		_	
	6,019,729	02/00	Itoigawa et al.		_	
NO-	6,038,928	03/00	Maluf et al.	_	_	

FOREIGN PATENT DOCUMENT						Trans	
Examiner	Document No.	Date	Country	Class	Sub	Y	N

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

E. Kälvesten, The First Surface Micromachined Pressure Sensor for Cardivascular Pressure Measurements, IEEE, pp. 574-579 (1998)

Hin-Leung Chau, An Ultraminiature Solid-State Pressure Sensor for a Cardiovascular Catheter, IEEE Transactions on Electron Devices, Vol. 35, No. 12, pp. 2355-2362 (1988)

Examiner: Date Considered: 3/7/05

\* Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609.

Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

## INFORMATION DISCLOSURE CITATION

Page 2 of 2 Pages

 Docket:
 015559-250
 Serial. No.:
 09/909,847

 Applicant:
 Alain Izadnegahdar et al.

 Filed:
 7/20/01
 Group:
 -2855
 3729

## **U.S. PATENT DOCUMENTS**

Examiner	Document No.	Date	Name	Class	Sub	
um	6,084,257	07/00	Petersen et al.	_	_	
	6,106,476	08/00	Corl et al.			
	6,140,143	10/00	Christel et al.	_	<u>ب</u>	
KAT	6,167,763	01/01	Tenerz et al.			
			·			

FOREIGN PATENT DOCUMENT						Trans	
Examiner	Document No.	Date	Country	Class	Sub	Y	N
_							

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Examiner:

Date Considered: 3/1/05

\* Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.